

RT.60.K3.000 C

163

43


37 kBq 1 μCi
37 kBq 1 μCi
37 kBq 1 μCi
37 kBq 1 μCi
37 kBq 1 μCi

Co60.000.20

CAUTION

RADIOACTIVE MATERIAL

A-A (10:1)



- Activity of Co-60 is $5 \times (37 \pm 7.4) = 185 \pm 37$ kBq ($5 \times (1 \pm 0.2) = 5 \pm 1$ μCi).
- Operating conditions:
 - temperature: -50 °C ... +50 °C;
 - relative humidity: up to 98 % at temperature 40 °C.
- Classification: ISO/12/C 11111 .
- Leakage test is according to ISO 9978-92, paragraph 5.3.1 (wet wipe test). Activity of a swab less than 200 Bq.
- Radioactive contamination level of the source less than 200 Bq (wet wipe test).
- The recommended working life is 5 years.

RT.60.K3.000 C

Gamma source
GCo0.T3

Лит.	Масса	Масштаб
Lit.	Weight	Scale
		1:1
Лист	1	Листов
Sheet		Sheets
		1



The contents of this drawing and its enclosures are our property. The drawing and its enclosures may not be duplicated without our written approval nor be made accessible to any third party. Any unauthorised usage is unlawful and will be prosecuted. Copyright reserved.

Перв. примен.

Справ. №

Подп. и дата

Инв. № дубл.

Взам. инв. №

Подп. и дата

Инв. № подл.

Rev.	Sheet	Document	Signature	Date
Изм.	Лист	№ докум.	Подп.	Дата
Разраб.				17.04.2020
Designed				2020
Н.контр				17.04.2020
Inspector				2020
Утв.				17.04.2020
Approved				2020

17.04.2020. [Signature]

63